

## 2,6-di-tert-butyl-p-cresol

Version number: GHS 1.0

Date of compilation: 2021-02-15

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product identifier**

Identification of the substance	<b>2,6-di-tert-butyl-p-cresol</b>
Registration number (REACH)	this information is not available
CAS number	128-37-0
Alternative name(s)	2,6-di-tert-butyl-4-methylphenol
Article number	A0002973

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses	General use
--------------------------	-------------

**1.3 Details of the supplier of the safety data sheet**

Chemos GmbH & Co. KG  
Sonnenring 7  
84032 Altdorf  
Germany

Telephone: +49 871-966346-0  
Telefax: +49 871-966346-13  
e-mail: chemos@chemos.de  
Website: <http://www.chemos.de/>

e-mail (competent person)	chemos@chemos.de
---------------------------	------------------

**1.4 Emergency telephone number**

Emergency information service	+49 89 1 92 40
-------------------------------	----------------

Poison centre				
Country	Name	Postal code/ city	Telephone	Telefax
United Kingdom	National Poison Information Centre Medical Toxicology Unit	SE14 5ER Lon- don	+44 171 635 91 91	

### SECTION 2: Hazards identification

**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
4.1A	hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects  
Spillage and fire water can cause pollution of watercourses.

**2.2 Label elements**

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word	warning
---------------	---------

**2,6-di-tert-butyl-p-cresol**

Version number: GHS 1.0

Date of compilation: 2021-02-15

- Pictograms

GHS09



- Hazard statements

H410

Very toxic to aquatic life with long lasting effects.

- Precautionary statements

P273

Avoid release to the environment.

P391

Collect spillage.

P501

Dispose of contents/container to industrial combustion plant.

**2.3 Other hazards**

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Name of substance

2,6-di-tert-butyl-p-cresol

Identifiers

CAS No

128-37-0

EC No

204-881-4

Specific Conc. Limits	M-Factors	ATE	Exposure route
	M-factor (chronic) = 1.0		

Molecular formula

C<sub>15</sub>H<sub>24</sub>O

Molar mass

220.4 g/mol

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Brush off loose particles from skin. Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

## 2,6-di-tert-butyl-p-cresol

Version number: GHS 1.0

Date of compilation: 2021-02-15

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## 2,6-di-tert-butyl-p-cresol

Version number: GHS 1.0

Date of compilation: 2021-02-15

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

##### Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

##### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Ventilation requirements

Use local and general ventilation.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
GB	dust		WEL		10					i	EH40/2005
GB	dust		WEL		4					r	EH40/2005
GB	2,6-di-tert-butyl-p-cresol	128-37-0	WEL		10						EH40/2005

##### Notation

Ceiling-C

i

r

STEL

TWA

ceiling value is a limit value above which exposure should not occur

inhalable fraction

respirable fraction

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit); measured or calculated in relation to a reference period of 8 hours  
time-weighted average (unless otherwise specified)

## 2,6-di-tert-butyl-p-cresol

Version number: GHS 1.0

Date of compilation: 2021-02-15

### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	1.76 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### Environmental values

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.199 µg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.02 µg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	0.017 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0.458 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.046 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.054 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## 2,6-di-tert-butyl-p-cresol

Version number: GHS 1.0

Date of compilation: 2021-02-15

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	colourless
Odour	odourless
Melting point/freezing point	69 – 73 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant

#### Solubility(ies)

Water solubility	0.76 mg/l at 20 °C
------------------	--------------------

#### Partition coefficient

Partition coefficient n-octanol/water (log value)	5.1 (ECHA)
Soil organic carbon/water (log KOC)	4.169 (ECHA)

Vapour pressure	0.011 hPa at 20 °C
-----------------	--------------------

#### Density and/or relative density

Density	1.03 g/cm <sup>3</sup> at 20 °C
---------	---------------------------------

#### Particle characteristics

Particle size	847.7 µm
---------------	----------

## 2,6-di-tert-butyl-p-cresol

Version number: GHS 1.0

Date of compilation: 2021-02-15

### 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	
Solid content	100 %

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

## 2,6-di-tert-butyl-p-cresol

Version number: GHS 1.0

Date of compilation: 2021-02-15

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)			
Endpoint	Value	Species	Exposure time
LC50	>0.57 mg/l	fish	96 h
EC50	0.48 mg/l	aquatic invertebrates	48 h
ErC50	>0.4 mg/l	algae	72 h

Aquatic toxicity (chronic)			
Endpoint	Value	Species	Exposure time
EC50	0.096 mg/l	aquatic invertebrates	21 d

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)	5.1 (ECHA)
---------------------------	------------

### 12.4 Mobility in soil

Henry's law constant	318.9 Pa m <sup>3</sup> /mol at 25 °C
The Organic Carbon normalised adsorption coefficient	4.169 (ECHA)

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Information on this property is not available.



**2,6-di-tert-butyl-p-cresol**

Version number: GHS 1.0

Date of compilation: 2021-02-15

**12.7 Other adverse effects**

Data are not available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

**Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**SECTION 14: Transport information**

**14.1 UN number or ID number**

ADR/RID/ADN	UN 3077
IMDG-Code	UN 3077
ICAO-TI	UN 3077

**14.2 UN proper shipping name**

ADR/RID/ADN	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
ICAO-TI	Environmentally hazardous substance, solid, n.o.s.
Technical name	2,6-di-tert-butyl-p-cresol

**14.3 Transport hazard class(es)**

ADR/RID/ADN	9
IMDG-Code	9
ICAO-TI	9

**14.4 Packing group**

ADR/RID/ADN	III
IMDG-Code	III
ICAO-TI	III

**14.5 Environmental hazards**

hazardous to the aquatic environment

**14.6 Special precautions for user**

Provisions for dangerous goods (ADR) should be complied within the premises.

**14.7 Maritime transport in bulk according to IMO instruments**

The cargo is not intended to be carried in bulk.



**2,6-di-tert-butyl-p-cresol**

Version number: GHS 1.0



Date of compilation: 2021-02-15

**Information for each of the UN Model Regulations**



**Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information**

Classification code	M7
Danger label(s)	9, fish and tree
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Tunnel restriction code (TRC)	-
Hazard identification No	90
Emergency Action Code	2Z

**International Maritime Dangerous Goods Code (IMDG) - Additional information**

Marine pollutant	yes (hazardous to the aquatic environment) (2,6-di-tert-butyl-p-cresol)
Danger label(s)	9, fish and tree
 	
Special provisions (SP)	274, 335, 966, 967, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-F
Stowage category	A

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	9, fish and tree
 	
Special provisions (SP)	A97, A158, A179, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

## 2,6-di-tert-butyl-p-cresol

Version number: GHS 1.0

Date of compilation: 2021-02-15

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

##### Deco-Paint Directive (2004/42/EC)

VOC content	0 %
-------------	-----

##### Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	0 %
-------------	-----

##### National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

##### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

**2,6-di-tert-butyl-p-cresol**

Version number: GHS 1.0

Date of compilation: 2021-02-15

**SECTION 16: Other information**

**Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

## 2,6-di-tert-butyl-p-cresol

Version number: GHS 1.0

Date of compilation: 2021-02-15

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.