

according to Regulation (EC) No. 1907/2006 (REACH)

Fluorescent Brightener 28

Version number: GHS 1.0

Date of compilation: 2019-02-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Registration number (REACH) CAS number Alternative name(s) **Fluorescent Brightener 28**

this information is not available

4193-55-9

disodium 5-({4-[bis(2-hydroxyethyl)amino]-6-(phenylamino)-1,3,5-triazin-2-yl}amino)-2-{2-[4-({4-[bis(2-hydroxyethyl)amino]-6-(phenylamino)-1,3,5-triazin-2-yl}amino)-2-sulfonatophenyl]ethenyl}benzene-1-sulfonate

Article number

A0065081

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

General use

chemos@chemos.de

1.3 Details of the supplier of the safety data sheet

Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany

Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/

e-mail (competent person)

1.4 Emergency telephone number

Emergency information service

This number is only available during the following office hours: Mon - Thu 08:00 AM - 05:00 PM, Fri 08:00 AM - 12:00 PM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Category | Hazard class and cat- egory | Hazard state- ment |
|---------|-------------------------|----------|--------------------------------|-----------------------|
| 3.1D | acute toxicity (dermal) | 4 | Acute Tox. 4 | H312 |

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning
- Pictograms

GHS07





Version number: GHS 1.0

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Fluorescent Brightener 28

Date of compilation: 2019-02-26

| - Hazard statements | | | | |
|---------------------|------------------------|--|--|--|
| H312 | Harmful in contact wit | | | |

Harmful in contact with skin.

| Precautionary stat | ements |
|--|--|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P312 | Call a POISON CENTRE/doctor if you feel unwell. |
| P321 | Specific treatment (see on this label). |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P501 | Dispose of contents/container to industrial combustion plant. |

2.3 Other hazards

Results of PBT and vPvB assessment According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

| Name of substance | Fluorescent Brightener 28 | | | |
|-------------------|-------------------------------------|--|--|--|
| Identifiers | | | | |
| CAS No | 4193-55-9 | | | |
| EC No | 224-073-5 | | | |
| Molecular formula | C40H42N12Na2O10S2 | | | |
| Molar mass | 960.9 ^g / _{mol} | | | |
| | | | | |

SECTION 4: First aid measures

Description of first aid measures 4.1

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none



according to Regulation (EC) No. 1907/2006 (REACH)

Fluorescent Brightener 28

Version number: GHS 1.0

Date of compilation: 2019-02-26

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2), Sulphur oxides (SOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains, Take up mechanically

Advices on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.



according to Regulation (EC) No. 1907/2006 (REACH)

Fluorescent Brightener 28

Version number: GHS 1.0

Date of compilation: 2019-02-26

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Ventilation requirements

Use local and general ventilation.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occup | Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | |
|--------------|--|--------|-----------------|--|----------------|---------------|-----------------|--|----------------------|---|---------------|
| Coun- try | Name of agent | CAS No | Identi- fier | | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | | Ceiling-C [mg/m³] | | Source |
| GB | dust | | WEL | | 10 | | | | | i | EH40/ 2005 |
| GB | dust | | WEL | | 4 | | | | | r | EH40/ 2005 |

Notation

 Ceiling-C
 ceiling value is a limit value above which exposure should not occur

 i
 inhalable fraction

 r
 respirable fraction

 STEL
 short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

 TWA
 time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

In the case of wanting to use the gloves again, clean them before taking off and air them well.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.



according to Regulation (EC) No. 1907/2006 (REACH)

Fluorescent Brightener 28

Version number: GHS 1.0

Date of compilation: 2019-02-26

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| Physical state | solid |
|----------------|----------------|
| Colour | various |
| Particle size | 63 µm |
| Odour | characteristic |

Other safety parameters

| pH (value) | not applicable | | |
|---|---|--|--|
| Melting point/freezing point | >300 °C at 1,013 hPa | | |
| Initial boiling point and boiling range | not determined | | |
| Flash point | not applicable | | |
| Evaporation rate | not determined | | |
| Flammability (solid, gas) | this material is combustible, but will not ignite readily | | |
| Explosion limits of dust clouds | not determined | | |
| Vapour pressure | not determined | | |
| Density | 1.37 ^g / _{cm³} at 20 °C | | |
| Vapour density | this information is not available | | |
| Solubility(ies) | | | |
| - Water solubility | 2 ^g / _l at 20 °C | | |
| Partition coefficient | | | |
| - n-octanol/water (log KOW) | -3.5 (ECHA) | | |
| - Soil organic carbon/water (log KOC) | ≥2.454 – ≤4 (ECHA) | | |



according to Regulation (EC) No. 1907/2006 (REACH)

Fluorescent Brightener 28

Version number: GHS 1.0

Date of compilation: 2019-02-26

| Auto-ignition temperature | 303 °C (ECHA) | | | |
|---------------------------|-----------------------------|--|--|--|
| Decomposition temperature | 300 °C at 1,013 hPa (есна) | | | |
| Viscosity | not relevant (solid matter) | | | |
| Explosive properties | none | | | |
| Oxidising properties | none | | | |
| Other information | | | | |

Solid content 100 %

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful in contact with skin.

- Acute toxicity estimate (ATE) Dermal 2,000 ^{mg}/_{kg} Inhalation: dust/mist 1.895 ^{mg}/_l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.



according to Regulation (EC) No. 1907/2006 (REACH)

Fluorescent Brightener 28

Version number: GHS 1.0

Date of compilation: 2019-02-26

Respiratory or skin sensitisation Shall not be classified as a respiratory or skin sensitiser. Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

| Process of degradability | | | | |
|--------------------------|------------------|------|--|--|
| Process | Degradation rate | Time | | |
| DOC removal | 1.2 % | 28 d | | |

12.3 Bioaccumulative potential

Data are not available.

| n-octanol/water (log KOW) | -3.5 (ECHA) |
|---------------------------|-------------|
|---------------------------|-------------|

12.4 Mobility in soil

Data are not available.

| Henry's law constant | 0 ^{Pa m³} / _{mol} at 25 °C |
|--|--|
| The Organic Carbon normalised adsorption coefficient | ≥2.454 – ≤4 (ECHA) |

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.



according to Regulation (EC) No. 1907/2006 (REACH)

Fluorescent Brightener 28

Version number: GHS 1.0

Date of compilation: 2019-02-26

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

14.1 UN number

14.2 UN proper shipping name

- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

Not subject to transport regulations

not relevant

none

not relevant

- non-environmentally hazardous acc. to the dangerous goods regulations
- **14.6** Special precautions for user There is no additional information.
- **14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.



according to Regulation (EC) No. 1907/2006 (REACH)

Fluorescent Brightener 28

Date of compilation: 2019-02-26

Version number: GHS 1.0

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).



Version number: GHS 1.0

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Fluorescent Brightener 28

Date of compilation: 2019-02-26

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|-------------------------------|
| H312 | Harmful in contact with skin. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.