

according to Regulation (EC) No. 1907/2006 (REACH)

### Solvent naphtha (petroleum), heavy arom.

Version number: GHS 1.0 Date of compilation: 2020-02-28

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance Solvent naphtha (petroleum), heavy arom.

Registration number (REACH) this information is not available

CAS number 64742-94-5

Alternative name(s) Kerosine-unspecified

Article number A0161209

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

### 1.3 Details of the supplier of the safety data sheet

Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany

Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/

e-mail (competent person) chemos@chemos.de

### 1.4 Emergency telephone number

Emergency information service +49 89 1 92 40

D٥	icon	centre
P()	$1 \le 0.011$	Cenne

Country	Name	Postal code/ city	Telephone	Telefax
United Kingdom	National Poison Information Centre Medical Toxicology Unit	SE14 5ER Lon- don	+44 171 635 91 91	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	n Hazard class		Hazard class and cat- egory	Hazard state- ment
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
3.10	aspiration hazard	1	Asp. Tox. 1	H304
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

United Kingdom: en Page: 1 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

### Solvent naphtha (petroleum), heavy arom.

Version number: GHS 1.0 Date of compilation: 2020-02-28

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

#### 2.2 **Label elements**

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS06, GHS08, GHS09







#### - Hazard statements

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation. Toxic if inhaled. H331

H336 May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects. H411

### - Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection. P280

IF SWALLOWED: Immediately call a POISON CENTER/doctor. P301+P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340

P311 Call a POISON CENTER/doctor. P331 Do NOT induce vomiting.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container to industrial combustion plant.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

Name of substance Solvent naphtha (petroleum), heavy arom.

Identifiers

CAS No 64742-94-5 EC No 265-198-5 Index No 649-424-00-3

### **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

United Kingdom: en Page: 2 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

### Solvent naphtha (petroleum), heavy arom.

Version number: GHS 1.0 Date of compilation: 2020-02-28

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

United Kingdom: en Page: 3 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

## Solvent naphtha (petroleum), heavy arom.

Version number: GHS 1.0 Date of compilation: 2020-02-28

### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

### Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

This information is not available.

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

United Kingdom: en Page: 4 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

# Solvent naphtha (petroleum), heavy arom.

Version number: GHS 1.0 Date of compilation: 2020-02-28

### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

### **Appearance**

Physical state	liquid
Colour	various
Odour	characteristic

### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	≥146 – ≤299 °C at 101.3 kPa
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapour pressure	1 – ≤3.7 kPa at 37.8 °C
Density	≥0.77 - ≤0.85 <sup>g</sup> / <sub>cm³</sub> at 15 °C
Vapour density	this information is not available
Solubility(ies)	not determined

### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

United Kingdom: en Page: 5 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

### Solvent naphtha (petroleum), heavy arom.

Version number: GHS 1.0 Date of compilation: 2020-02-28

Auto-ignition temperature	220 – 250 °C at 101.3 kPa (ECHA) (auto-ignition temperature (liquids and gases))	
Viscosity	not determined	
Explosive properties	none	
Oxidising properties	none	

#### 9.2 Other information

Solvent content	100 %
Temperature class (EU, acc. to ATEX)	T3 (maximum permissible surface temperature on the equipment: 200°C)

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if inhaled.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

- Acute toxicity estimate (ATE)

Inhalation: vapour 5.28 <sup>mg</sup>/<sub>l</sub>/4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

United Kingdom: en Page: 6 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

### Solvent naphtha (petroleum), heavy arom.

Version number: GHS 1.0 Date of compilation: 2020-02-28

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic	toxicity (	(cl	hro	nic)	١
---------	------------	-----	-----	------	---

Endpoint	Value	Species	Exposure time
EL50	0.89 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d

#### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

United Kingdom: en Page: 7 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

### Solvent naphtha (petroleum), heavy arom.

Version number: GHS 1.0 Date of compilation: 2020-02-28

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### **SECTION 14: Transport information**

**14.1 UN number** 2810

**14.2 UN proper shipping name** TOXIC LIQUID, ORGANIC, N.O.S.

Technical name Solvent naphtha (petroleum), heavy arom.

14.3 Transport hazard class(es)

Class 6.1 (toxic substances) (environmentally hazardous)

**14.4 Packing group** III (substance presenting low danger)

**14.5 Environmental hazards** hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

### **Information for each of the UN Model Regulations**

### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 2810

Proper shipping name TOXIC LIQUID, ORGANIC, N.O.S.

Class 6.1
Classification code T1
Packing group III

Danger label(s) 6.1, fish and tree



Environmental hazards Yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 614, 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 60
Emergency Action Code 2X

United Kingdom: en Page: 8 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

### Solvent naphtha (petroleum), heavy arom.

Version number: GHS 1.0 Date of compilation: 2020-02-28

### **International Maritime Dangerous Goods Code (IMDG)**

UN number 2810

Proper shipping name TOXIC LIQUID, ORGANIC, N.O.S.

Class 6.1

Marine pollutant yes (hazardous to the aquatic environment)

Packing group III

Danger label(s) 6.1, fish and tree

Special provisions (SP) 223, 274

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-A

Stowage category A

### International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 2810

Proper shipping name Toxic liquid, organic, n.o.s.

Class 6.1

Environmental hazards yes (hazardous to the aquatic environment)

Packing group III
Danger label(s) 6.1

Special provisions (SP) A3, A4, A137

Excepted quantities (EQ) E1
Limited quantities (LQ) 2 L

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

### **Deco-Paint Directive (2004/42/EC)**

VOC content	100 %
-------------	-------

### Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	100 %

United Kingdom: en Page: 9 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

# Solvent naphtha (petroleum), heavy arom.

Version number: GHS 1.0 Date of compilation: 2020-02-28

### **National inventories**

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS CICR Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation

DSL Domestic Substances List (DSL)

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances **IECSC** 

INSQ KECI Korea Existing Chemicals Inventory NZIoC

New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances PICCS REACH Reg.

REACH registered substances Taiwan Chemical Substance Inventory Toxic Substance Control Act TCSI TSCA

### **Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms

United Kingdom: en Page: 10 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

# Solvent naphtha (petroleum), heavy arom.

Version number: GHS 1.0 Date of compilation: 2020-02-28

Abbr.	Descriptions of used abbreviations
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 11 / 11