

according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Date of compilation: 2019-04-02

Version number: GHS 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Registration number (REACH) CAS number Alternative name(s) Article number

Methanesulfonic acid

this information is not available

75-75-2

Methanesulphonic acid

A0015239

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Uses advised against

General use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin.

1.3 Details of the supplier of the safety data sheet

Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany

Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/

e-mail (competent person)

1.4 Emergency telephone number

Emergency information service

chemos@chemos.de

This number is only available during the following office hours: Mon - Thu 08:00 AM - 05:00 PM, Fri 08:00 AM - 12:00 PM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	acute toxicity (dermal)	4	Acute Tox. 4	H312
3.2	skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.8R	specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16.



according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Version number: GHS 1.0

Date of compilation: 2019-04-02

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger
- Pictograms

GHS05, GHS07



- Hazard statements

H290	May be corrosive to metals.
H302+H312	Harmful if swallowed or in contact with skin.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

- Precautionary statements

Theedactorially stat	Treeducionary statements			
P260	Do not breathe dust/fume/gas/mist/vapours/spray.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P310	Immediately call a POISON CENTER/doctor.			
P403+P233	Store in a well-ventilated place. Keep container tightly closed.			

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	methanesulfonic acid
Identifiers	
CAS No	75-75-2
EC No	200-898-6
Index No	607-145-00-4
Molecular formula	CH4O3S

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.



according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Version number: GHS 1.0

Date of compilation: 2019-04-02

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2), Sulphur oxides (SOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder



according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Version number: GHS 1.0

Date of compilation: 2019-04-02

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- Handling of incompatible substances or mixtures

Do not mix with alkali.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	6.76 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0.7 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	19.44 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects



according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Version number: GHS 1.0

Date of compilation: 2019-04-02

Environmental values

Relevant PNECs and other threshold levels

litererune				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.012 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.001 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
PNEC	100 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0.044 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.004 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.002 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Colour	various
Odour	characteristic



according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Version number: GHS 1.0

Date of compilation: 2019-04-02

Other safety parameters		
pH (value)	not determined	
Melting point/freezing point	20 °C	
Initial boiling point and boiling range	167 °C at 13.3 hPa	
Flash point	189 °C at 1,013 hPa	
Evaporation rate	not determined	
Flammability (solid, gas)	not relevant, (fluid)	
Explosive limits	not determined	
Vapour pressure	0 hPa at 21 °C	
Density	1.48 ^g / _{cm³} at 20 °C	
Vapour density	this information is not available	
Solubility(ies)		
- Water solubility	1,000 ^g / _l at 20 °C	
Partition coefficient		
- n-octanol/water (log KOW)	-2.38 (ECHA)	
- Soil organic carbon/water (log KOC)	0 (ECHA)	
Auto-ignition temperature	535 °C at 1,010 hPa (ECHA) (auto-ignition temperature (li- quids and gases))	
/iscosity		
- Kinematic viscosity	7.86 ^{mm²} / _s at 25 °C	
- Dynamic viscosity	11.6 mPa s at 25 °C	
Explosive properties	none	
Oxidising properties	none	
Other information		

Solvent content	100 %
-----------------	-------

9.2



according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Version number: GHS 1.0

Date of compilation: 2019-04-02

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Bases, Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Harmful in contact with skin.

- Acute toxicity estimate (ATE) Oral 500 ^{mg}/_{kg} Dermal 1,000 ^{mg}/_{kg}

Dermal 1,000 ^{mĝj}_{kg} Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure Shall not be classified as a specific target organ toxicant (repeated exposure).



according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Version number: GHS 1.0

Date of compilation: 2019-04-02

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Biodegradation

The substance is readily biodegradable. The relevant substances of the mixture are readily biodegradable.

12.2 Persistence and degradability

Process of degradability		
Process	Degradation rate	Time
DOC removal	90 – 100 %	28 d

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log ł	(OW)	-2.38 (ECHA)
------------------------	------	--------------

12.4 Mobility in soil

Data are not available.

Henry's law constant	0.001 ^{Pa m³} / _{mol} at 25 °C
The Organic Carbon normalised adsorption coefficient	0 (ЕСНА)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



Version number: GHS 1.0

-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Date of compilation: 2019-04-02

DIC, ORGANIC, N.O.S.
m danger)
zardous acc. to the dan- าร

14.6 Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)			
UN number	3265		
Proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.		
Class	8		
Classification code	C3		
Packing group	II		
Danger label(s)	8		
Special provisions (SP)	274		
Excepted quantities (EQ)	E2		
Limited quantities (LQ)	1 L		
Transport category (TC)	2		
Tunnel restriction code (TRC)	E		
Hazard identification No	80		
Emergency Action Code	2X		
International Maritime Dangerous Goods Code (IMDG)			
UN number	3265		
Proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.		
Class	8		
Marine pollutant	-		
Packing group	II		
Danger label(s)	8		



according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Version number: GHS 1.0 Date of compilation: 2019-04-02 Special provisions (SP) 274 Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L EmS F-A, S-B Stowage category В 1 - Acids Segregation group International Civil Aviation Organization (ICAO-IATA/DGR) **UN number** 3265 Proper shipping name Corrosive liquid, acidic, organic, n.o.s. Class 8 Packing group Π Danger label(s) 8 Special provisions (SP) A3 Excepted quantities (EQ) E2 Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Deco-Paint Directive (2004/42/EC)

VOC content	100 %			
Directive on industrial emissions (VOCs, 2010/75/EU)				
VOC content	100 %			

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)



according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Date of compilation: 2019-04-02

Abbr.	Descriptions of used abbreviations
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Version number: GHS 1.0



according to Regulation (EC) No. 1907/2006 (REACH)

Methanesulfonic acid

Version number: GHS 1.0

Date of compilation: 2019-04-02

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.