

**2,2-Dimethyl-1-propanol**

Version number: GHS 1.0

Date of compilation: 2019-02-26

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Identification of the substance **2,2-Dimethyl-1-propanol**  
 Registration number (REACH) this information is not available  
 CAS number 75-84-3  
 Article number A0003708

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses General use

**1.3 Details of the supplier of the safety data sheet**

Chemos GmbH & Co. KG  
 Sonnenring 7  
 84032 Altdorf  
 Germany

Telephone: +49 871-966346-0  
 Telefax: +49 871-966346-13  
 e-mail: chemos@chemos.de  
 Website: <http://www.chemos.de/>

e-mail (competent person) chemos@chemos.de

**1.4 Emergency telephone number**

Emergency information service This number is only available during the following office hours: Mon - Thu 08:00 AM - 05:00 PM, Fri 08:00 AM - 12:00 PM

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.7	flammable solid	1	Flam. Sol. 1	H228
3.1I	acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16.

**2.2 Label elements**

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS02, GHS07



**2,2-Dimethyl-1-propanol**

Version number: GHS 1.0

Date of compilation: 2019-02-26

**- Hazard statements**

H228	Flammable solid.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

**- Precautionary statements**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P312	Call a POISON CENTRE/doctor if you feel unwell.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to industrial combustion plant.

**2.3 Other hazards**

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Name of substance	2,2-Dimethyl-1-propanol
Identifiers	
CAS No	75-84-3
Molecular formula	C <sub>5</sub> H <sub>12</sub> O
Molar mass	88.15 g/mol

**SECTION 4: First aid measures****4.1 Description of first aid measures**

## General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

## Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

## Following skin contact

Rinse skin with water/shower.

## Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

## Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed**

none

## 2,2-Dimethyl-1-propanol

Version number: GHS 1.0

Date of compilation: 2019-02-26

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains, Take up mechanically

Advices on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

**2,2-Dimethyl-1-propanol**

Version number: GHS 1.0

Date of compilation: 2019-02-26

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

**7.2 Conditions for safe storage, including any incompatibilities**

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

**7.3 Specific end use(s)**

See section 16 for a general overview.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
GB	dust		WEL		10					i	EH40/2005
GB	dust		WEL		4					r	EH40/2005

Notation

- Ceiling-C ceiling value is a limit value above which exposure should not occur
- i inhalable fraction
- r respirable fraction
- STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
- TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
- time-weighted average (unless otherwise specified)

**8.2 Exposure controls**

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

## 2,2-Dimethyl-1-propanol

Version number: GHS 1.0

Date of compilation: 2019-02-26

### Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

Particulate filter device (EN 143).

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	solid
Colour	colourless
Odour	characteristic

#### Other safety parameters

pH (value)	not applicable
Melting point/freezing point	52 – 56 °C
Initial boiling point and boiling range	113 – 114 °C
Flash point	not applicable
Evaporation rate	not determined
Flammability (solid, gas)	flammable solid in accordance with GHS criteria
Explosion limits of dust clouds	not determined
Vapour pressure	16.7 hPa at 30 °C
Density	0.818 g/cm <sup>3</sup> at 25 °C
Vapour density	this information is not available
Solubility(ies)	not determined

#### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

## 2,2-Dimethyl-1-propanol

Version number: GHS 1.0

Date of compilation: 2019-02-26

Auto-ignition temperature	not determined
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidising properties	none

### 9.2 Other information

Solid content	100 %
---------------	-------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if inhaled.

- Acute toxicity estimate (ATE)

Inhalation: dust/mist 1.5 mg/l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## 2,2-Dimethyl-1-propanol

Version number: GHS 1.0

Date of compilation: 2019-02-26

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**2,2-Dimethyl-1-propanol**

Version number: GHS 1.0

Date of compilation: 2019-02-26

**SECTION 14: Transport information**

<b>14.1 UN number</b>	1325
<b>14.2 UN proper shipping name</b>	FLAMMABLE SOLID, ORGANIC, N.O.S.
<b>14.3 Transport hazard class(es)</b>	
Class	4.1 (flammable solids)
<b>14.4 Packing group</b>	II (substance presenting medium danger)
<b>14.5 Environmental hazards</b>	non-environmentally hazardous acc. to the dangerous goods regulations
<b>14.6 Special precautions for user</b>	
	Provisions for dangerous goods (ADR) should be complied within the premises.
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
	The cargo is not intended to be carried in bulk.

**Information for each of the UN Model Regulations**

**Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

UN number	1325
Proper shipping name	FLAMMABLE SOLID, ORGANIC, N.O.S.
Class	4.1
Classification code	F1
Packing group	II
Danger label(s)	4.1



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	40
Emergency Action Code	1Z

**International Maritime Dangerous Goods Code (IMDG)**

UN number	1325
Proper shipping name	FLAMMABLE SOLID, ORGANIC, N.O.S.
Class	4.1
Marine pollutant	-
Packing group	II
Danger label(s)	4.1





**2,2-Dimethyl-1-propanol**

Version number: GHS 1.0

Date of compilation: 2019-02-26

Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-G
Stowage category	B
<b>International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	1325
Proper shipping name	Flammable solid, organic, n.o.s.
Class	4.1
Packing group	II
Danger label(s)	4.1



Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance.

**SECTION 16: Other information**

**Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

**2,2-Dimethyl-1-propanol**

Version number: GHS 1.0

Date of compilation: 2019-02-26

Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

**Key literature references and sources for data**

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

**List of relevant phrases (code and full text as stated in chapter 2 and 3)**

Code	Text
H228	Flammable solid.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

**Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.