

acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Version number: GHS 4.0 Revision: 2022-12-13 Replaces version of: 2022-09-08 (GHS 3) SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1 Identification of the substance 1,1,1,3,3,3-hexafluoropropan-2-ol CAS number 920-66-1 A0003669 Article number 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses General use Uses advised against Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Details of the supplier of the safety data sheet Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/ e-mail (competent person) chemos@chemos.de 1.4 **Emergency telephone number** Emergency information service +49 89 1 92 40 Poison centre Postal code/ city Country Name Telephone Telefax United Kingdom National Poison Information Centre SE14 5ER Lon-+44 171 635 91 91 Medical Toxicology Unit don **SECTION 2: Hazards identification** 

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.2	skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.7	reproductive toxicity	2	Repr. 2	H361fd
3.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16.

## 1.3



acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Version number: GHS 4.0 Replaces version of: 2022-09-08 (GHS 3)

#### Revision: 2022-12-13

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.

### 2.2 Label elements

Labelling

- Signal word danger
- Pictograms

GHS05, GHS08



- Hazard statements

H314	Causes severe skin burns and eye damage.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

#### - Precautionary statements

,	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container to industrial combustion plant.

### 2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance	1,1,1,3,3,3-hexafluoropropan-2-ol
Identifiers	
CAS No	920-66-1
EC No	213-059-4
Molecular formula	C3H2F6O

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.



acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Version number: GHS 4.0 Replaces version of: 2022-09-08 (GHS 3)

### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

## **4.3** Indication of any immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2) Unsuitable extinguishing media Water jet

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products Carbon monoxide (CO), Carbon dioxide (CO2)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Revision: 2022-12-13



acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Revision: 2022-12-13

Version number: GHS 4.0 Replaces version of: 2022-09-08 (GHS 3)

## Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Recommendations

#### - Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.



acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Version number: GHS 4.0 Replaces version of: 2022-09-08 (GHS 3)

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	-2 °C at 1,013 hPa
Boiling point or initial boiling point and boiling range	59 °C at 1,013 hPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	>100 °C
Auto-ignition temperature	>550 °C at 1,020 hPa (есна)
Decomposition temperature	Decomposition onset temperature:
pH (value)	not determined
Kinematic viscosity	not determined

### Solubility(ies)

Water solubility	176 <sup>g</sup> / <sub>l</sub> at 20 °C
------------------	------------------------------------------

### Partition coefficient

Partition coefficient n-octanol/water (log value) 1	1.5 (25 °C) (ECHA)
-----------------------------------------------------	--------------------

Vapour pressure	11,300 Pa at 15 °C
-----------------	--------------------

Revision: 2022-12-13



acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Revision: 2022-12-13

Version number: GHS 4.0 Replaces version of: 2022-09-08 (GHS 3)

Density and/or relative density

Density	1.46 <sup>g</sup> / <sub>cm³</sub> at 21 °C
Relative vapour density	information on this property is not available

	Particle characteristics	not relevant (liquid)
9.2	Other information	
	Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics	
	Surface tension	67.1 <sup>mN</sup> / <sub>m</sub> (19.8 °С) (ЕСНА)
	Solvent content	100 %

## SECTION 10: Stability and reactivity

## 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

## 10.2 Chemical stability

See below "Conditions to avoid".

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

## 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

## 10.5 Incompatible materials

Oxidisers

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Classification acc. to GHS**

### Acute toxicity

Shall not be classified as acutely toxic.

### Skin corrosion/irritation

Causes severe skin burns and eye damage.

## Serious eye damage/eye irritation

Causes serious eye damage.



acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Version number: GHS 4.0 Replaces version of: 2022-09-08 (GHS 3) Revision: 2022-12-13

Respiratory or skin sensitisation Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity Shall not be classified as carcinogenic.

Shall not be classified as carcinoge

## Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## 12.2 Persistence and degradability

Data are not available.

## 12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	1.5 (25 °C) (ECHA)
BCF	≥1.1 – ≤1.4 (ECHA)

## 12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Information on this property is not available.

### 12.7 Other adverse effects

Data are not available.



acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Revision: 2022-12-13

Version number: GHS 4.0 Replaces version of: 2022-09-08 (GHS 3)

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number ADR/RID UN 3265 IMDG-Code UN 3265 ICAO-TI UN 3265 14.2 UN proper shipping name ADR/RID CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. IMDG-Code CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. ICAO-TI Corrosive liquid, acidic, organic, n.o.s. Technical name 1,1,1,3,3,3-hexafluoropropan-2-ol 14.3 Transport hazard class(es) ADR/RID 8 IMDG-Code 8 ICAO-TI 8 14.4 Packing group Π ADR/RID IMDG-Code Π Π ICAO-TI 14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations

## 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## Information for each of the UN Model Regulations



Version number: GHS 4.0

Replaces version of: 2022-09-08 (GHS 3)

## Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) -Additional information **Classification code** C3 Danger label(s) 8 Special provisions (SP) 274 Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L Transport category (TC) 2 Tunnel restriction code (TRC) Е Hazard identification No 80 2X **Emergency Action Code** Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) -Additional information **Classification code** C3 Danger label(s) 8 274 Special provisions (SP) Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L 2 Transport category (TC) Hazard identification No 80 International Maritime Dangerous Goods Code (IMDG) - Additional information Marine pollutant 8 Danger label(s) Special provisions (SP) 274 Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L EmS F-A, S-B Stowage category В Segregation group 1 - Acids

Revision: 2022-12-13



acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

D-IATA/DGR) - Additional information
8
A3
E2
0,5 L

Deco-Paint Directive	
VOC content	100 %
Industrial Emissions Directive (IED)	
VOC content	100 %

## National regulations (GB)

# List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

## Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
1,1,1,3,3,3-hexafluoropropan-2-ol	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/ 2008/EC		3

## **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed



acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Revision: 2022-12-13

Version number: GHS 4.0 Replaces version of: 2022-09-08 (GHS 3)

Country	Inventory	Status
US	TSCA	substance is listed as "ACTIVE"
Legend AIIC CSCL-ENCS DSL ECSI IECSC KECI NZIOC PICCS REACH Reg. TCSI TSCA	Domestic Substances List ( EC Substance Inventory (El Inventory of Existing Chem Korea Existing Chemicals I New Zealand Inventory of	nemical Substances (CSCL-ENCS) DSL) INECS, ELINCS, NLP) nical Substances Produced or Imported in China nventory Chemicals emicals and Chemical Substances (PICCS) ces e Inventory

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
1.1	Identification of the substance: 1,1,1,3,3,3-Hexafluoro-2-propanol	Identification of the substance: 1,1,1,3,3,3-hexafluoropropan-2-ol	yes
3.1	Name of substance: 1,1,1,3,3,3-Hexafluoro-2-propanol	Name of substance: 1,1,1,3,3,3-hexafluoropropan-2-ol	yes
3.1		EC No: 213-059-4	yes
5.1	Suitable extinguishing media: Water spray, BC-powder, Carbon dioxide (CO2)	Suitable extinguishing media: Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)	yes
8.1	Control parameters: This information is not available.	Control parameters: Occupational exposure limit values (Workplace Ex- posure Limits) this information is not available	yes
9.1	Colour: colourless	Colour: not determined	yes
9.1	Melting point/freezing point: -3.4 °C	Melting point/freezing point: -2 °C at 1,013 hPa	yes
9.1	Boiling point or initial boiling point and boiling range: 58.2 °C	Boiling point or initial boiling point and boiling range: 59 °C at 1,013 hPa	yes
9.1	Auto-ignition temperature: not determined	Auto-ignition temperature: >550 °C at 1,020 hPa (ECHA)	yes
9.1	Decomposition temperature: not relevant	Decomposition temperature: Decomposition onset temperature:	yes
9.1	Solubility(ies): not determined	Solubility(ies)	yes
9.1		Water solubility: 176 <sup>g</sup> / <sub>l</sub> at 20 °C	yes
9.1	Partition coefficient n-octanol/water (log value): this information is not available	Partition coefficient n-octanol/water (log value): 1.5 (25 °C) (ECHA)	yes



acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Revision: 2022-12-13

Version number: GHS 4.0 Replaces version of: 2022-09-08 (GHS 3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
9.1	Vapour pressure: 266 hPa at 30 °C	Vapour pressure: 11,300 Pa at 15 °C	yes
9.1	Density: 1.596 <sup>g</sup> / <sub>cm³</sub> at 25 °C	Density: 1.46 <sup>g</sup> / <sub>cm³</sub> at 21 °C	yes
9.2		Surface tension: 67.1 <sup>mN</sup> / <sub>m</sub> (19.8 °C) (ECHA)	yes
12.3		n-octanol/water (log KOW): 1.5 (25 °C) (ECHA)	yes
12.3		BCF: ≥1.1 – ≤1.4 (ECHA)	yes
14.2	Technical name: 1,1,1,3,3,3-Hexafluoro-2-propanol	Technical name: 1,1,1,3,3,3-hexafluoropropan-2-ol	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code



acc. to Regulation (EC) No. 1907/2006 (REACH)

## 1,1,1,3,3,3-hexafluoropropan-2-ol

Revision: 2022-12-13

Version number: GHS 4.0 Replaces version of: 2022-09-08 (GHS 3)

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.