

## Acid black 210

Version number: GHS 1.0

Date of compilation: 2022-05-10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product identifier**

Identification of the substance **Acid black 210**  
 CAS number 99576-15-5  
 Article number A0050630

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses General use

**1.3 Details of the supplier of the safety data sheet**

Chemos GmbH & Co. KG  
 Sonnenring 7  
 84032 Altdorf  
 Germany

Telephone: +49 871-966346-0  
 Telefax: +49 871-966346-13  
 e-mail: chemos@chemos.de  
 Website: <http://www.chemos.de/>

e-mail (competent person) chemos@chemos.de

**1.4 Emergency telephone number**

Emergency information service +49 89 1 92 40

| Poison centre  |   |                      |                   |         |
|----------------|---|----------------------|-------------------|---------|
| Country        | Name  | Postal code/<br>city | Telephone         | Telefax |
| United Kingdom | National Poison Information Centre<br>Medical Toxicology Unit | SE14 5ER Lon-<br>don | +44 171 635 91 91 |         |

### SECTION 2: Hazards identification

**2.1 Classification of the substance or mixture**

Classification acc. to GHS

| Section | Hazard class  | Category | Hazard class and category | Hazard statement |
|---------|---|----------|---------------------------|------------------|
| 3.2     | skin corrosion/irritation   | 2        | Skin Irrit. 2             | H315             |
| 3.3     | serious eye damage/eye irritation   | 2        | Eye Irrit. 2              | H319             |
| 3.8R    | specific target organ toxicity - single exposure (respiratory tract irritation) | 3        | STOT SE 3                 | H335             |

For full text of abbreviations: see SECTION 16.

**2.2 Label elements**

Labelling

- Signal word warning

**Acid black 210**

Version number: GHS 1.0

Date of compilation: 2022-05-10

**- Pictograms**

GHS07

**- Hazard statements**

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

**- Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/  
....  
P312 Call a POISON CENTRE/doctor if you feel unwell.  
P321 Specific treatment (see on this label).  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container to industrial combustion plant.

**2.3 Other hazards**

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

|                   |                  |
|-------------------|------------------|
| Name of substance | Acid black 210   |
| Identifiers       |                  |
| CAS No            | 99576-15-5       |
| Molecular formula | C34H25K2N11O11S3 |
| Molar mass        | 938 g/mol        |

**SECTION 4: First aid measures****4.1 Description of first aid measures**

## General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

## Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

## Following skin contact

Rinse skin with water/shower.

## Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

## Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

## Acid black 210

Version number: GHS 1.0

Date of compilation: 2022-05-10

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulphur oxides (SO<sub>x</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## Acid black 210

Version number: GHS 1.0

Date of compilation: 2022-05-10

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Ventilation requirements

Use local and general ventilation.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) |               |        |            |           |                          |            |                           |                 |                                |          |           |
|--|---------------|--------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|-----------|
| Country  | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [ppm] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source    |
| GB   | dust          |        | WEL        |           | 10                       |            |                           |                 |                                | i        | EH40/2005 |
| GB   | dust          |        | WEL        |           | 4                        |            |                           |                 |                                | r        | EH40/2005 |

Notation

|           |   |
|-----------|---|
| Ceiling-C | ceiling value is a limit value above which exposure should not occur  |
| i         | inhalable fraction  |
| r         | respirable fraction   |
| STEL      | short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)                      |
| TWA       | time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours<br>time-weighted average (unless otherwise specified) |

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

## Acid black 210

Version number: GHS 1.0

Date of compilation: 2022-05-10

### Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

Particulate filter device (EN 143).

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |   |
|--|---|
| Physical state   | solid (powder)  |
| Colour   | black   |
| Odour  | odourless   |
| Melting point/freezing point                             | not determined  |
| Boiling point or initial boiling point and boiling range | not determined  |
| Flammability   | this material is combustible, but will not ignite readily |
| Lower and upper explosion limit                          | not determined  |
| Flash point  | not applicable  |
| Auto-ignition temperature                                | not determined  |
| Decomposition temperature                                | not relevant  |
| pH (value)   | 4.5 – 6.5   |
| Kinematic viscosity                                      | not relevant  |

### Solubility(ies)

|                  |                   |
|------------------|-------------------|
| Water solubility | >100 g/l at 25 °C |
|------------------|-------------------|

### Partition coefficient

|   |                                   |
|---|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|

## Acid black 210

Version number: GHS 1.0

Date of compilation: 2022-05-10

|                 |                |
|-----------------|----------------|
| Vapour pressure | not determined |
|-----------------|----------------|

### Density and/or relative density

|                         |   |
|-------------------------|---|
| Density                 | 600 – 800 kg/m <sup>3</sup>                   |
| Relative vapour density | information on this property is not available |

|                          |                   |
|--------------------------|-------------------|
| Particle characteristics | no data available |
|--------------------------|-------------------|

### 9.2 Other information

|  |   |
|--|---|
| Information with regard to physical hazard classes | hazard classes acc. to GHS (physical hazards): not relevant |
|--|---|

### Other safety characteristics

|               |       |
|---------------|-------|
| Solid content | 100 % |
|---------------|-------|

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## Acid black 210

Version number: GHS 1.0

Date of compilation: 2022-05-10

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Classification acc. to GHS

###### Acute toxicity

Shall not be classified as acutely toxic.

###### Skin corrosion/irritation

Causes skin irritation.

###### Serious eye damage/eye irritation

Causes serious eye irritation.

###### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

###### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

###### Carcinogenicity

Shall not be classified as carcinogenic.

###### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

###### Specific target organ toxicity - single exposure

May cause respiratory irritation.

###### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

###### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

### SECTION 12: Ecological information

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Information on this property is not available.

**Acid black 210**

Version number: GHS 1.0

Date of compilation: 2022-05-10

**12.7 Other adverse effects**

Data are not available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

**Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**SECTION 14: Transport information**

- 14.1 UN number or ID number** not subject to transport regulations
- 14.2 UN proper shipping name** not relevant
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Maritime transport in bulk according to IMO instruments**  
The cargo is not intended to be carried in bulk.

**Information for each of the UN Model Regulations**

**International Maritime Dangerous Goods Code (IMDG) - Additional information**

Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Not subject to ICAO-IATA.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**Relevant provisions of the European Union (EU)**

**Deco-Paint Directive**

|             |     |
|-------------|-----|
| VOC content | 0 % |
|-------------|-----|

**Industrial Emissions Directive (IED)**

|             |     |
|-------------|-----|
| VOC content | 0 % |
|-------------|-----|



## Acid black 210

Version number: GHS 1.0

Date of compilation: 2022-05-10

### National regulations (GB)

#### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

#### Restrictions according to GB REACH, Annex 17

not listed

### National inventories

| Country | Inventory | Status              |
|---------|-----------|---------------------|
| CN      | IECSC     | substance is listed |
| JP      | CSCL-ENCS | substance is listed |
| NZ      | NZIoC     | substance is listed |
| PH      | PICCS     | substance is listed |
| TW      | TCSI      | substance is listed |

#### Legend

|           |   |
|-----------|---|
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| IECSC     | Inventory of Existing Chemical Substances Produced or Imported in China |
| NZIoC     | New Zealand Inventory of Chemicals                                      |
| PICCS     | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| TCSI      | Taiwan Chemical Substance Inventory                                     |

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Abbreviations and acronyms

| Abbr.     | Descriptions of used abbreviations  |
|-----------|---|
| ADR       | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)                         |
| CAS       | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| Ceiling-C | Ceiling value   |
| DGR       | Dangerous Goods Regulations (see IATA/DGR)  |
| EH40/2005 | EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> ) |
| GB REACH  | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  |
| GHS       | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations   |
| IATA      | International Air Transport Association   |
| IATA/DGR  | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO      | International Civil Aviation Organization   |
| IMDG      | International Maritime Dangerous Goods Code   |
| PBT       | Persistent, Bioaccumulative and Toxic   |
| ppm       | Parts per million   |
| REACH     | Registration, Evaluation, Authorisation and Restriction of Chemicals  |

## Acid black 210

Version number: GHS 1.0

Date of compilation: 2022-05-10

| Abbr. | Descriptions of used abbreviations  |
|-------|---|
| RID   | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| STEL  | Short-term exposure limit   |
| TWA   | Time-weighted average   |
| VOC   | Volatile Organic Compounds  |
| vPvB  | Very Persistent and very Bioaccumulative  |
| WEL   | Workplace exposure limit  |

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text                              |
|------|-----------------------------------|
| H315 | Causes skin irritation.           |
| H319 | Causes serious eye irritation.    |
| H335 | May cause respiratory irritation. |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.